

Overall Dimensions:

36" W x 18" D (25" D with drop leaf) x 35.5" H

Customer Service Information
Seville Classics, Inc.

Telephone: (800) 323-5565
Fax: (310) 533-3899
Hours: 8:30 AM – 4:30 PM (PST)
Email: Support@SevilleClassics.com
Online Store: www.SevilleClassics.com

080526



Acacia Top Kitchen Cart with Drop Leaf

Instruction Manual

Model #: FCS04767B (White)
FCS04762B (Black)

Thank you for choosing Seville Classics!

We hope you enjoy your new kitchen cart.
Please read through these assembly instructions to ensure proper assembly.
The contact information for our live customer support team based in California is on the last page.


Made in Vietnam

Attention:


Unpack and remove all parts from the box.
Please review the below parts list to ensure you received all the necessary parts.
Do not fully tighten all the screws until all of them are in the right positions.

We recommend two people to assemble the cart.


Parts List




A. Right Frame (1 pc)




B. Left Frame (1 pc)




C. Acacia Top (1 pc)




D. Slatted Shelf (1 pc)




E. Medium Solid Shelf (2 pc)




F. Large Solid Shelf (1 pc)




G. Right Door (1 pc)



H. Left Door (1 pc)



I. Back Panel (1 pc)




J. Spice Rack (2 pcs)



K. Locking Wheel (2 pcs)




L. Wheel (2 pcs)




M. Handle (2 pcs)




N. Bracket (6 pcs+1)



O. Wooden Dowel (10 pcs+2)



P. 1/4 x 38 Bolt (16 pcs+1)



Q. M4 x 22 Screw (4 pcs+1)



R. 3 x 11 Screw (12 pcs+2)



S. 4 x 14 Screw (8 pcs+2)



T. Hex Key (1 pc)

Other tools needed: Phillips head screwdriver (not included)

WARNING

- Read all instructions and inspect parts prior to assembly.
- Tighten wheels completely and check periodically.
- Lock the wheels when leaving the cart in a stationary position.
- Do NOT modify the product in any way.
- Do NOT overload the product.
- This cart is NOT a toy.
- Do NOT let children climb or play on the cart.
- Place heavier objects on the lowest shelf.
- Use caution when moving the cart.
- Do NOT move the cart while it is loaded.

Please visit **www.sevilleclassics.com** to shop our wide range of products.

CARE AND MAINTENANCE

Avoid harsh, abrasive cleaners, and other corrosive chemicals. Clean up any spills immediately to prevent stains from forming on the wood top. Wood top can be cleaned with damp cloth and wiped dry immediately with dry cloth.

WEIGHT CAPACITY:

Acacia Top: 50 lb.
Per Shelf: 50 lb.
Per Spice Rack: 6.6 lb.
Total capacity of kitchen cart: 213.2 lb.


If you are missing any parts or have any questions with assembly,
please contact our live customer support team at **(800) 323-5565** or
Support@SevilleClassics.com, which can assist you in both English and Spanish.

Note:

Please be considerate of the environment and recycle the brown box the item was delivered in along with all applicable packaging materials. Thank you.

STEP 9.


Extend the triangular supports on each side to support the drop leaf.



Note: We recommend assembling the cart in a spacious area on carpet, a rug, or the flattened cardboard packaging box to protect both the parts and hard flooring from any scratches.


STEP 1.

Insert the four **WOODEN DOWELS (O)** into each door. Then, place the **SPICE RACK (J)** over the dowels. Using a screwdriver, attach three **BRACKETS (N)** to each **SPICE RACK (J)**, one on each side and one underneath, with two **3 x 11 SCREWS (R)** for each bracket.




STEP 2.

Attach the **HANDLES (M)** onto the left and right doors with two **M4 x 22 SCREWS (Q)** using a screwdriver.




STEP 3.

Install the shelves in the order of the **LARGE SOLID SHELF (F)**, **MEDIUM SOLID SHELF (E)**, and **SLATTED SHELF (D)** onto the **RIGHT FRAME (A)** with two **1/4 X 38 BOLT (P)** for each shelf, using a **HEX KEY (T)**.




STEP 4.

Slide the **BACK PANEL (I)** edges into the slots of the **LARGE SOLID SHELF (F)** and the **SLATTED SHELF (D)**.



STEP 5.

Place the **LEFT FRAME (B)** on the shelves and align on the holes. Attach with six **1/4 X 38 BOLTS (P)** using a **HEX KEY (T)**.




STEP 6.

Place the **ACACIA TOP (C)** with the brackets facing up on top of the cardboard box to protect it from scratches. Insert two **WOODEN DOWELS (O)** into the middle hole on each side.


Align the frames with the screw holes on the **ACACIA TOP (C)** and attach with four **1/4 X 38 BOLTS (P)** using a **HEX KEY (T)**.

Note: When placing the cart frame onto the acacia top, ensure the triangular supports are on the side near the foldable drop leaf.



STEP 7.

By hand, twist the **LOCKING WHEELS (K)** onto the front side of the **LEFT AND RIGHT FRAMES (A and B)**. Twist the **WHEELS (L)** onto the back side of the **LEFT AND RIGHT FRAMES (A and B)**.



STEP 8.

Attach the **LEFT AND RIGHT DOORS (G and H)** onto the **LEFT AND RIGHT FRAMES (A and B)** with two **4 x 14 SCREWS (S)** using a screwdriver.

