


Dimensions:

25" W x 33" D x 77" H (74" H on Leveling Feet), 1" Pole Diameter

Customer Service Information Seville Classics, Inc.

Telephone: (800) 323-5565
Fax: (310) 533-3899
Hours: 8:30 AM – 4:30 PM (PST)
Email: Support@SevilleClassics.com
Online Store: www.SevilleClassics.com





UltraDurable 5-Tier NSF-Certified Steel Tote Shelving 25" W x 33" D x 77" H

Model #: SHE24331B

Thank you for choosing Seville Classics!

We hope you enjoy your new commercial-grade steel wire shelving.

Please read these assembly instructions and
frequently asked questions to ensure proper assembly.

The contact information for our live customer
support team based in California is on the last page.




Attention:

Unpack and remove all parts from the box. Please review the below parts list to ensure you received all the necessary parts.




We recommend using two people to assemble the unit.

Parts List



A. Bottom Poles (4 pcs) (Threaded end)



B. Top Poles (4 pcs) (Plastic cap on end)



C. Connectors (4 pcs) (May be attached to poles)



D. Shelves (5 pcs)



E. Slip Sleeves (20 pairs)



F. Leveling Feet (4 pcs)



G. 3" Wheels (2 pcs)



H. 3" Locking Wheels (2 pcs)

A WARNING

- Place heavier items on the lower shelves and lighter ones on the top.
- Do not stand or climb on the shelving system.
- Do not drop heavy items on the system.
- Do not move the system while loaded.

Please visit www.sevilleclassics.com to shop our wide range of products.

If you are missing any parts or have any questions with assembly, please contact our live customer support team at **(800) 323-5565** or Support@SevilleClassics.com, which can assist you in both English and Spanish.




Note:

Please be considerate of the environment and recycle the brown box the item was delivered in along with all applicable packaging materials. Thank you.

Your shelving system is now assembled.

Store up to Five 27-Gallon Totes measuring 30 .6" L x 20.6" W x 14.3" H.




| Weight capacity | Per Shelf (with 27-gallon tote bins) | Overall |
|------------------|---|-----------------------------|
| On leveling feet | 50 lb. (22.6 kg) evenly distributed | 250 lb. (113.3 kg) |
| On 3" H wheels | 50 lb. (22.6 kg) evenly distributed | 250 lb. (113.3 kg) |
| Weight capacity | Per Shelf (without 27-gallon tote bins) | Overall |
| On leveling feet | 200 lb. (90.7 kg) evenly distributed | 1,000 lb. (453.6 kg) |
| On 3" H wheels | 100 lb. (45.3 kg) evenly distributed | 500 lb. (226.8 kg) |

6


STEP 1.

Screw **LEVELING FEET (F)** or **WHEELS (G, H)** into base of bottom poles. Repeat for all bottom poles.



STEP 2.

Snap **SLIP SLEEVES (E)** around the grooves on **BOTTOM POLES (A)**; This will be your lowest shelf.




STEP 3.

Fit SHELF (D) over the top of the 4 poles and over SLIP SLEEVES (E).

Repeat STEPS 2-3 for next shelf.

TIP! If necessary, lightly tap shelves into place with a rubber mallet (not included).




STEP 4.

Screw CONNECTORS (C) into top of BOTTOM POLES (A).

Screw TOP POLES (B) to CONNECTORS (C).

TIP! Connectors may already be pre-installed. If they are not, the connectors will be packaged separately in a bag.



STEP 5.

Repeat STEPS 2-3 for remaining shelves.

