


4 Units - 3 Configuration Options



WARNING : Do not stand on or climb on the shelving system. Do not drop heavy items on the system. Place heavier items on the lower shelves and lighter ones on the top shelves. Do not move the system while loaded.

Specifications

Dimensions: 26.6" W x 12.2" D x 12.6" H

Weight capacity top: 50 lbs. (25 lb. per shelf, evenly distributed)

Customer Service Information

Telephone: (800) 323-5565

Fax: (310) 533-3899


Hours: 8:30 AM – 4:30 PM (PST)

Email: Support@SevilleClassics.com

Homepage: www.SevilleClassics.com










seville classics®


2-TIER SHOE / STORAGE RACK



Model: WEB714

Thank you for choosing Seville Classics. We hope that you enjoy your new 2-tier shoe rack. Please contact our Customer Support for any questions (see back page for contact information). Thank you.




 <p>A Rack (x1)</p>	 <p>B Leveling Foot (x4)</p>	 <p>C Cap (x4)</p>	 <p>D Shelf (x2)</p>	 <p>E Stacking Pin (x4)</p>
<div style="display: flex;"> <div style="flex: 1;">    </div> <div style="flex: 2;"> <h3>ASSEMBLING THE RACK</h3> <ol style="list-style-type: none"> 1. Unpack and remove all parts from the box. If there are missing or broken parts, please contact CUSTOMER SERVICE. 2. Screw the LEVELING FEET (B) into the bottoms of each leg of the RACK (A). 3. Insert the CAPS (C) into the holes on the top of the rack. Note: if you want to stack two units, skip this step as these holes will be used by the STACKING PINS (E). 4. Place the unit upright, with the feet on the floor. Unfold it. 5. Slide a SHELF (D) in at an angle (see diagram) then rotate it to the correct position and press down firmly on each bracket, making sure that they snap into place. Note: if the shelf does not snap in easily, simply adjust the plastic clip within the bracket by aligning the plastic nub into the bracket window. 6. Repeat step 5 for the other shelf. Once all shelves are firmly in place, adjust the leveling feet by screwing them in or out to obtain a level unit. </div> </div>				
<div style="display: flex;"> <div style="flex: 1;">  </div> <div style="flex: 2;"> <h3>STACKING THE RACK</h3> <ol style="list-style-type: none"> 1. Build another rack following the instructions above. However, do not install the LEVELING FEET (B) on the second (top) unit. 2. Screw the STACKING PINS (E) into the bottoms of each leg of the top unit. 3. Remove all CAPS (C) from the original (base) unit. 4. Lift the top unit up and onto the base unit, lining up the pins with the holes at the four top corners so that they can be inserted into each other. 5. Be sure everything is in alignment and then press down firmly on the top unit so that it fits tightly into and onto the base unit. </div> </div> <p>NOTE: Illustration shows 2 shelving units stacked vertically. Do not exceed maximum height of 2 stacked units.</p>				






INTERLOCK™

Connect by attaching the shelves to any side bar of one unit to the corresponding side bar of another unit.

2 Units - 3 Configuration Options

3 Units - 3 Configuration Options

Please make sure you have all the parts on this list.

If you're missing parts, contact us for replacements at
(800) 323-5565 or send an email to Support@SevilleClassics.com