

# CERTIFICATE OF ANALYSIS



Customer:

Batch #:

Laboratory Number:

Report Issue Date:

Order Date:

Analysis Date:

Sample Description:

Extraction Technician: LL

Analytical Chemist: LL

Unit Weight:

Photo

*Kim Dang*  
Laboratory Manager

## CANNABINOID PROFILE - BASIC

| Analyte | LOQ<br>(mg/g) | Results | % |
|---------|---------------|---------|---|
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |

| Analyte | LOQ<br>(mg/g) | Results | % |
|---------|---------------|---------|---|
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |

| Analyte | LOQ<br>(mg/g) | Results | % |
|---------|---------------|---------|---|
|         |               |         |   |
|         |               |         |   |
|         |               |         |   |

Max Active THC

Total Active  
Cannabinoids

Max Active CBD

Total  
Cannabinoids

## NOTES

Cannabidiol (CBD) Cannabidiolol (CBDL) Cannabidiololol (CBDLL) Cannabidiolololol (CBDLLL) Cannabidiololololol (CBDLLLL) Cannabidiolololololol (CBDLLLLL)  
Tetrahydrocannabinol (THC) Tetrahydrocannabinolol (THCLOL) Tetrahydrocannabinololol (THCLOLOL) Tetrahydrocannabinolololol (THCLOLOLOL) Tetrahydrocannabinololololol (THCLOLOLOLOL)  
9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) Cannabichromene (CBC) Cannabichromenol (CBCOL)  
Tetrahydrocannabinolic Acid (THCA)



Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>>



(954) 515 - 0200

info@accuratetestlab.com