

## Coast 1g CBD Vape - Uplift

Sample ID: HR20250190428  
Strain: Coast 1g CBD Vape - Uplift  
Matrix: Concentrates & Extracts  
Type: Vape  
Sample Size: ; Batch:

Produced:  
Collected: 01/09/2025  
Received: 01/09/2025  
Completed: 01/14/2025  
Batch#:

Client  
Entourage Organic Inc.  
Lic. #  
3507 Breakwater Ave  
Hayward, CA 94545



### Summary

Test	Date Tested	Result
Batch		
Cannabinoids	01/10/2025	Complete

### Cannabinoids

Complete

ND				50.68%		58.28%	
Total THC				Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Result	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving	
THCa	0.20000	0.61000	ND	ND			
Δ9-THC	0.15000	0.45000	ND	ND			
Δ8-THC	0.14000	0.42000	ND	ND			
THCV	0.15000	0.44000	ND	ND			
CBDa	0.10000	0.31000	ND	ND			
CBD	0.15000	0.45000	50.68	506.75			
CBN	0.16000	0.50000	4.26	42.64			
CBG	0.13000	0.39000	2.58	25.79			
CBC	0.14000	0.42000	0.76	7.57			
Total THC			ND	ND	ND	ND	
Total CBD			50.67	506.75			
Total			58.27	582.75	0.00	0.00	
Sum of Cannabinoids			58.27	582.75			

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



*Ming Li*

Ming Li - General Manager  
01/14/2025

Condent LIMS  
All Rights Reserved  
coa.support@condentlms.com  
(866) 506-5866  
www.condentlms.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.