

TRUE OUTDOOR PROTECTION


etherCON® TOP
powerCON® TRUE1® TOP
XLR TOP



NEUTRIK®

SETTING STANDARDS

Neutrik Headquarters in Schaan, Principality of Liechtenstein





NEUTRIK® – the premium brand of the Neutrik Group

Neutrik is the worldwide leading supplier of professional connectors and connector systems for the entertainment industry and other complex special applications.

Located in The Principality of Liechtenstein, in the middle of Europe, Neutrik is synonymous with the development, production and distribution of innovative products which have set the standards.

No matter whether a rock band or a lighting designer, an industrial application, a broadcast studio or LED Display application – Neutrik offers a superior quality and reliable connector solution for every application.

STATE-OF-THE-ART MANUFACTURING

More than 1000 highly trained employees, modern production facilities and standardized workflows ensure superior quality. Since the start in 1975 Neutrik produced more than 1 billion connectors that have set standards in functionality, technical reliability and durability around the world.

Neutrik's management system and processes are certified according to ISO 9001 and comply to the environmental standards RoHS, REACH and Sony Green Partner.

TRUE OUTDOOR PROTECTION (TOP)

Neutrik's new range of TRUE OUTDOOR PROTECTION products for demanding outdoor applications continues to set standards. Certified to UL50E for outdoor use. UV resistant and IP65 rated.



**TRUE
OUTDOOR
PROTECTION**

TRUE OUTDOOR PROTECTION

etherCON® TOP



powerCON® TRUE1® TOP



XLR TOP



**SETTING
STANDARDS**

TRUE OUTDOOR PROTECTION

NEUTRIK

TRUE OUTDOOR PROTECTION



TRUE OUTDOOR PROTECTION

The highly innovative entertainment industry is permanently evolving accompanied by increasing demands on interconnection systems. Particularly environmentally sealed connectors are highly requested for heavy-duty and harsh environment applications of entertainment equipment like PA systems, signs and LED screens or lightings.

Neutrik took up the challenge and developed a new line of TRUE OUTDOOR PROTECTION (TOP) products for demanding outdoor applications. This new range includes the popular powerCON TRUE1, etherCON and XLR series. These ruggedized sealed connectors feature not only IP protection but also UV resistance certified to UL50E.



UV



IP

GLOBAL ENCLOSURE STANDARDS

For safety reasons, connectors have to be protected from outside influences like dust, foreign objects, moisture, water and sunlight.

The most common and globally recognized standards for outdoor applications are IEC 60529 with the IPxx ingress protection levels and the UL50E / NEMA 250 enclosure type rating. Although these standards have the same goal to identify an enclosure capacity to withstand environmental influences, they differ in their definition, testing and pass criteria. The UL50E standard requires an UV test for thermoplastic materials which does not form part of the IP test. Neutrik have ensured that the new TOP range of products met both internationally recognized standards.

To ease equipment qualification Neutrik designed and qualified their TOP line to the connector standards IEC 61076-2-103, IEC 60320-1, UL 1977, UL 498. But in addition Neutrik took into account the special requirements for wet locations and qualified the TOP line with UL50E certification.



**TRUE
OUTDOOR
PROTECTION**

SETTING STANDARDS



etherCON® TOP

ORDERING INFORMATION

NE8MX-TOP	Rugged RJ45 cable connector carrier
NE8FDV-TOP	Rugged D-size chassis connector
NE8FDP-TOP	Rugged D-size feedthrough
NE8FDH-C5E-TOP	Rugged D-size PCB mount
SE8FD-TOP	Outdoor assembly kit

- Heavy-duty sealed RJ45 system for harsh environment
- Rugged cable connector carrier accepting most common RJ45 plugs
- D-sized receptacles for PCB mount and IDC termination or as feedthrough adapter
- IP65 rating and certified outdoor protection to UL50E
- Uses high impact UV resistant materials per UL
- Sealing when disconnected by attached cover
- Class D or CAT5e acc. ISO/IEC 11801 and TIA/EIA 568B



**TRUE
OUTDOOR
PROTECTION**



NAC3FX-W-TOP



NAC3MX-W-TOP



NAC3PX-TOP



NAC3MPX-TOP



NAC3FPX-TOP

powerCON® TRUE1® TOP

ORDERING INFORMATION

NAC3FX-W-TOP	Locking Power-In cable connector
NAC3MX-W-TOP	Locking Power-Out cable connector
NAC3PX-TOP	Appliance inlet-outlet combination
NAC3MPX-TOP	Appliance inlet connector
NAC3MPX-WOT-TOP	Appliance inlet connector, without insulation divider
NAC3FPX-TOP	Appliance outlet connector
NAC3FPX-ST-TOP	Appliance outlet connector, screw terminals
NAC3FPX-WOT-TOP	Appliance outlet connector, without insulation divider
SCNAC-PX	Rubber sealing cover for NAC3PX-TOP
SCNAC-MPX	Rubber sealing cover for NAC3MPX-TOP
SCNAC-FPX	Rubber sealing cover for NAC3FPX-TOP

- True mains connector with breaking capacity (CBC)
- Designed to be engaged and disengaged in normal use when live or under load
- Lockable 16 A (acc. IEC, VDE) / 20A (acc. UL) connector
- Complete system with inlet and outlet connectors
- IP65 rating and certified outdoor protection to UL 50E enclosure type 4 (in mated condition)
- Uses high impact, UV resistant materials per UL
- Certified according IEC 60320-1 and UL 498



**TRUE
OUTDOOR
PROTECTION**

SETTING STANDARDS

NEW



NAC3FX-W-TOP-L



NAC3MX-W-TOP-L



For cable diameter 10.0 - 16.0 mm

powerCON® TRUE1® TOP Large

ORDERING INFORMATION

NAC3FX-W-TOP-L	Locking Power-In cable connector for cable diameters 10 - 16 mm (0.39 - 0.63")
NAC3MX-W-TOP-L	Locking Power-Out cable connector for cable diameters 10 - 16 mm (0.39 - 0.63")



**TRUE
OUTDOOR
PROTECTION**

- Heavy duty sealed power connector for harsh and demanding environment.
- TOP True Outdoor Protection
- Single phase connector with Circuit Breaking Capability (20 A 250 V ac)
- IEC EN 60320-1 and UL 60320-1 certified, thus accepted as a component of equipment acc. to IEC 62368-1.
- Extremely robust and reliable cable retention
- For cable diameters 10 - 16 mm (0.39 - 0.63") (0.39 – 0.63 inches)
- Superior NEUTRIK quality standard



N SSC-1



N SSC-2



N SSC-3

Sealing self-closing cap

ORDERING INFORMATION

N SSC-1	Rubber sealing cover for NAC3MPX-TOP and NAC3MPX-WOT-TOP
N SSC-2	Rubber sealing cover for NAC3FPX-TOP, NAC3FPX-ST-TOP, NAC3FPX-WOT-TOP
N SSC-3	Rubber sealing cover for NAC3PX-TOP

Sealing self-closing cap for powerCON receptacle

The spring-loaded sealing self-closing cap for powerCON receptacles shuts automatically after unplugging the cable connector and seals the chassis connectors against dust and water to IP65.

SETTING STANDARDS



NC3FX-TOP



NC3MDX-TOP



NC3MX-TOP



NC3FDX-TOP

XLR TOP

ORDERING INFORMATION

NC3FX-TOP	Heavy duty female 3 pole XLR cable connector
NC5FX-TOP	Heavy duty female 5 pole XLR cable connector
NC3MX-TOP	Heavy duty male 3 pole XLR cable connector
NC5MX-TOP	Heavy duty male 5 pole XLR cable connector
NC3FDX-TOP	Heavy duty, female 3-pole XLR chassis connector
NC5FDX-TOP	Heavy duty, female 5-pole XLR chassis connector
NC3MDX-TOP	Heavy duty, male 3-pole XLR chassis connector
NC5MDX-TOP	Heavy duty, male 5-pole XLR chassis connector
SCFDX-TOP	Sealing cover for NC3FDX-TOP
SCMDX-TOP	Sealing cover for NC3MDX-TOP

- Heavy-duty sealed XLR connector range
- 3 and 5 pin chassis and cable connector
- IP65 rated and certified outdoor protection to UL50E
- Maintain sealing when in use and when disconnected
- Uses high impact UV resistant materials per UL
- Gold plated contacts
- Optional dust protection cap



**TRUE
OUTDOOR
PROTECTION**

**SUPERIOR
QUALITY**

**UNMATCHED
RELIABILITY**

**IP65
RATED**

**UV
RESISTANT**

TRUE OUTDOOR PROTECTION

NEUTRIK

LIECHTENSTEIN (HEADQUARTERS)

Neutrik AG, Im alten Riet 143,
9494 Schaan, Liechtenstein
T +423 237 24 24, F +423 232 53 93, neutrik@neutrikgroup.com

GERMANY / NETHERLANDS / DENMARK / AUSTRIA

Neutrik Vertriebs GmbH, Felix-Wankel-Straße 1,
85221 Dachau, Germany
T +49 8131 28 08 90, neutrik@neutrikgroup.de

GREAT BRITAIN

Neutrik (UK) Ltd., Westridge Business Park, Cothey Way Ryde,
Isle of Wight PO33 1 QT
T +44 1983 811 441, sales@neutrikgroup.co.uk

FRANCE

Neutrik© France, 52 Rue d'aguessau,
92100 Boulogne
T +33 1 41 31 67 50, info@neutrikgroup.fr

USA

Neutrik Americas., 4115 Taggart Creek Road,
Charlotte, North Carolina, 28208
T +1 704 972 3050, info@neutrikusa.com

JAPAN

Neutrik Limited, Yusen-Higashinihonbashi-Ekimae Bldg., 3-7-19
Higashinihonbashi, Chuo-ku, Tokyo 103
T +81 3 3663 47 33, mail@neutrik.co.jp

HONG KONG

Neutrik Hong Kong LTD., Suite 18,
7th Floor Shatin Galleria Foton, Shatin
T +852 2687 6055, sales@neutrik.com.hk

CHINA

Ningbo Neutrik Trading Co., Ltd., Shiqi Street, Yinxian Road West
Fengjia Village, Hai Shu District, Ningbo, Zhejiang, 315153
T +86 574 88250833, sales@neutrik.com.cn

ASSOCIATED COMPANIES

Contrik AG, Steinackerstrasse 35, 8902 Urdorf, Switzerland
T +41 44 736 50 10, contrik@contrik.ch

H. Adam GmbH, Felix-Wankel-Straße 1, 85221 Dachau, Germany
T +49 08131 28 08-0, anfrage@adam-gmbh.de

CONNEX GmbH, Elberstraße 12, 26135 Oldenburg
T +49 441 380398-0, info@connex.de

TOP Products – NF23-V07 - 202111 – Data subject to change without prior notice. © 2021 NEUTRIK®.
NEUTRIK®, powerCON®, etherCON® are registered trademarks of NEUTRIK AG. ALL RIGHTS RESERVED.



www.neutrik.com